

APPENDIX F

**RESIDENCES AND OTHER STRUCTURES WITHIN 50 FEET OF THE CONSTRUCTION
WORK AREA FOR THE MID-ATLANTIC EXPRESS PIPELINE**

TABLE F-1

EXISTING RESIDENCES AND BUILDINGS WITHIN 50 FEET OF THE CONSTRUCTION WORKSPACE

County/State	Mile Post	<u>Tract Number</u>	Residence / Structure	Direction from Pipeline Centerline	Distance from Construction Workspace (feet)	Distance from Proposed Pipeline Centerline (feet)	Proposed Mitigation *
Baltimore/MD	0.53	<u>2</u>	Industrial	West	33	90	1
Baltimore/MD	<u>1.20</u>	<u>9</u>	Industrial	South	25	75	1
Baltimore/MD	3.27	<u>35</u>	Industrial	East	23	63	1
Baltimore/MD	<u>5.60</u>	<u>80.1</u>	Residence	North	33	108	1
Baltimore/MD	5.95	<u>89</u>	Residence	North	<u>16</u>	<u>66</u>	<u>2</u>
Baltimore/MD	6.65	<u>99</u>	Industrial	North	<u>5</u>	36	<u>2</u>
Baltimore/MD	<u>8.00</u>	<u>8114.2</u>	Industrial	West	5	130	1
Baltimore/MD	8.84	<u>124.3</u>	Industrial	East	44	124	1
Baltimore/MD	9.02	<u>127</u>	Industrial	West	17	34	<u>2</u>
Baltimore/MD	11.09	<u>152.1</u>	Residence	Southeast	Adjacent	65	2
Baltimore/MD	11.09	<u>153.2</u>	Garage	Northwest	45	95	1
Baltimore/MD	11.13	<u>157</u>	Residence	Northwest	35	75	1
Baltimore/MD	11.14	<u>158.1</u>	Industrial	East	44	89	1
Baltimore/MD	11.16	<u>158</u>	Residence	Northwest	45	95	1
Baltimore/MD	11.48	<u>168</u>	Industrial	Northwest	45	145	1
Baltimore/MD	11.62	<u>171</u>	Industrial	Northwest	Adjacent	90	1

TABLE F-1

EXISTING RESIDENCES AND BUILDINGS WITHIN 50 FEET OF THE CONSTRUCTION WORKSPACE

County/State	Mile Post	Tract Number	Residence / Structure	Direction from Pipeline Centerline	Distance from Construction Workspace (feet)	Distance from Proposed Pipeline Centerline (feet)	Proposed Mitigation *
Baltimore/MD	12.19	181.4	Residence	Southeast	45	70	1
Baltimore/MD	12.21	181.5	Residence	Southeast	45	70	1
Baltimore/MD	12.32	181.6	Residence	Southeast	45	70	1
Baltimore/MD	12.34	181.7	Residence	Southeast	45	70	1
Baltimore/MD	12.37	181.8	Residence	Southeast	45	70	1
Baltimore/MD	12.39	181.9	Residence	Southeast	45	70	1
Baltimore/MD	12.42	182.2	Residence	Southeast	45	70	1
Baltimore/MD	12.45	182.3	Residence	Southeast	45	70	1
Baltimore/MD	12.47	182.4	Residence	Southeast	45	70	1
Baltimore/MD	12.56	182.5	Residence	Southeast	45	70	1
Baltimore/MD	13.05	8185.6	Residential Shed	Southeast	Inside	15	1
Baltimore/MD	13.09	190	First Church of God of Middle River Inc.	Northwest	45	105	1
Baltimore/MD	13.10	189.1	Garage	Southeast	10	55	1
Baltimore/MD	13.13		Middle River Assembly Of God	Southeast	25	70	1
Baltimore/MD	13.91	204	Residence	West	25	85	2
Baltimore/MD	13.92	204	Residence	East	25	90	2

TABLE F-1

EXISTING RESIDENCES AND BUILDINGS WITHIN 50 FEET OF THE CONSTRUCTION WORKSPACE

County/State	Mile Post	<u>Tract Number</u>	Residence / Structure	Direction from Pipeline Centerline	Distance from Construction Workspace (feet)	Distance from Proposed Pipeline Centerline (feet)	Proposed Mitigation *
Baltimore/MD	13.92	<u>204</u>	Residence	West	<u>40</u>	<u>90</u>	<u>2</u>
Baltimore/MD	13.93	<u>204</u>	Residence	West	<u>40</u>	<u>90</u>	1
Baltimore/MD	13.94	<u>204</u>	Residence	East	<u>45</u>	<u>110</u>	<u>2</u>
Baltimore/MD	13.95	<u>204</u>	Residence	East	<u>25</u>	<u>75</u>	<u>2</u>
Baltimore/MD	13.95	<u>204</u>	Residence	West	<u>25</u>	<u>70</u>	<u>2</u>
Baltimore/MD	13.96	<u>204</u>	Residence	West	<u>25</u>	90	<u>2</u>
Baltimore/MD	13.97	<u>204</u>	Residence	East	<u>25</u>	<u>75</u>	<u>2</u>
Baltimore/MD	13.98	<u>204</u>	Residence	West	<u>25</u>	90	<u>2</u>
Baltimore/MD	13.99	<u>204</u>	Residence	East	<u>25</u>	<u>75</u>	<u>2</u>
Baltimore/MD	14.02	<u>204</u>	Residence	East	<u>25</u>	<u>75</u>	<u>2</u>
Baltimore/MD	14.05	<u>204</u>	Residence	East	40	90	1
Baltimore/MD	14.05	<u>204</u>	Residence	West	40	90	1
Baltimore/MD	14.07	<u>204</u>	Residence	East	35	85	1
Baltimore/MD	14.10	<u>204</u>	Residence	East	25	75	<u>2</u>
Baltimore/MD	14.11	<u>204</u>	Residence	West	45	95	1
Baltimore/MD	14.15	<u>204</u>	Residence	West	35	85	1
Baltimore/MD	16.85	<u>256</u>	Residence	West	<u>20</u>	<u>85</u>	2

TABLE F-1

EXISTING RESIDENCES AND BUILDINGS WITHIN 50 FEET OF THE CONSTRUCTION WORKSPACE

County/State	Mile Post	Tract Number	Residence / Structure	Direction from Pipeline Centerline	Distance from Construction Workspace (feet)	Distance from Proposed Pipeline Centerline (feet)	Proposed Mitigation *
MD							
Baltimore/MD	17.56	267	Residence	West	35	110	1
Baltimore/MD	17.64	269	Residence	West	35	65	1
Baltimore/MD	17.74	275	Residence	West	30	80	1
Baltimore/MD	17.80	276.1	Residence	West	30	80	1
Baltimore/MD	17.85	276	Residence	East	18	55	2
Baltimore/MD	17.97	8277.4	Residence	West	45	95	1
Baltimore/MD	18.06	279	Residence	East	25	70	2
Baltimore/MD	18.08	284	Residence	East	45	85	1
Baltimore/MD	18.08	286	Residence	West	30	80	2
Baltimore/MD	18.15	285	Residence	East	45	85	1
Baltimore/MD	19.63	307	Residence	West	TBD	TBD	TBD
Baltimore/MD	20.84	326.1	Residence	East	30	70	1
Baltimore/MD	20.90	327.1	Residence	East	25	73	2
Baltimore/MD	20.94	328.1	Residence	East	30	80	1
Baltimore/MD	21.15	333.1	Residence	East	35	85	1
Harford/MD	23.03	362	Residence	East	25	60	2

TABLE F-1

EXISTING RESIDENCES AND BUILDINGS WITHIN 50 FEET OF THE CONSTRUCTION WORKSPACE

County/State	Mile Post	Tract Number	Residence / Structure	Direction from Pipeline Centerline	Distance from Construction Workspace (feet)	Distance from Proposed Pipeline Centerline (feet)	Proposed Mitigation *
Harford/M D	23.07	365	Residence	East	11	62	2
Harford/M D	23.21	366	Residential Shed	East	Inside	45	NA
Harford/M D	23.27	367	Residential Shed	East	Inside	45	NA
Harford/M D	23.37	371.1	Industrial	West	33	120	1
Harford/M D	23.44	372.1	Industrial	West	25	75	2
Harford/M D	24.88	381	Residence	East	25	65	2
Harford/M D	26.37	398	Residence	West	35	100	1
Harford/M D	26.53	398.2	Residence	West	35	85	1
Harford/M D	26.72	403.2	Residence	West	25	120	2
Harford/M D	26.73	403.1	Residence	East	25	50	2
Harford/M D	26.78	406.1	Residence	East	25	115	2
Harford/M D	26.80	408.1	Garage	West	Adjacent	50	1
Harford/M D	26.80	407.1	Residence	East	35	140	1
Harford/M D	26.90	421	Residence	West	40	70	1
Harford/M D	28.41	431	Residence	West	7	32	2
Harford/M D	28.69	438	Residence	West	30	80	1

TABLE F-1

EXISTING RESIDENCES AND BUILDINGS WITHIN 50 FEET OF THE CONSTRUCTION WORKSPACE

County/State	Mile Post	<u>Tract Number</u>	Residence / Structure	Direction from Pipeline Centerline	Distance from Construction Workspace (feet)	Distance from Proposed Pipeline Centerline (feet)	Proposed Mitigation *
Harford/M D	30.40	<u>454</u>	<u>Residence - outbuilding</u>	West	<u>12</u>	<u>45</u>	<u>2, TBD</u>
Harford/M D	34.97	<u>499</u>	Residence	South	45	95	1
Harford/M D	35.07	<u>502</u>	Agriculture -- <u>Barn</u>	South	45	<u>118</u>	<u>2</u>
Harford/M D	35.20	<u>507</u>	Residence	South	<u>25</u>	<u>70</u>	2
Harford/M D	35.33	<u>510</u>	<u>Garage</u>	Southeast	Inside	55	TBD
Harford/M D	35.46	<u>513</u>	Residence	North	25	100	<u>2</u>
Harford/M D	35.49	<u>514</u>	Residence	North	<u>6</u>	<u>31</u>	2
Harford/M D	35.50	<u>515</u>	Residence	South	<u>17</u>	<u>42</u>	2
Harford/M D	36.11	<u>530</u>	Residence	North	<u>25</u>	85	2
Harford/M D	36.46	<u>534</u>	Residence	South	25	50	1
<u>Harford/M D</u>	<u>37.75</u>	<u>557</u>	<u>Residence</u>	<u>North</u>	<u>11</u>	<u>33</u>	<u>2</u>
Harford/M D	38.55	<u>572.1</u>	Residence	South	<u>25</u>	<u>75</u>	2
Harford/M D	38.82	<u>575</u>	Agriculture	North	30	60	1
Harford/M D	39.46	<u>582</u>	Garage	North	<u>5</u>	<u>30</u>	<u>2</u>
Harford/M D	39.46	<u>582</u>	Residence	North	30	105	1
Harford/M D	40.11	<u>589</u>	<u>Garage</u>	North	<u>12</u>	<u>62</u>	<u>NA</u>
Harford/M	40.11	<u>589</u>	Garage	North	12	62	1

TABLE F-1

EXISTING RESIDENCES AND BUILDINGS WITHIN 50 FEET OF THE CONSTRUCTION WORKSPACE

County/State	Mile Post	Tract Number	Residence / Structure	Direction from Pipeline Centerline	Distance from Construction Workspace (feet)	Distance from Proposed Pipeline Centerline (feet)	Proposed Mitigation *
D							
Harford/M D	40.13	588.2	Commercial	South	10	35	2
Harford/M D	40.32	590.1	Residence	South	15	40	2
Harford/M D	40.34	593.1	Residence	South	25	75	2
Harford/M D	40.37	594.1	Residence	South	25	75	2
Harford/M D	40.45	597.1	Residence	South	17	45	2
Harford/M D	42.34	622	Industrial	Southeast	45	95	1
Harford/M D	42.43	628	Residence	Southeast	40	140	1
Harford/M D	42.45	628	Residence	Southeast	Inside	2	2
Harford/M D	42.69	630	Residence	North	25	45	2
Harford/M D	42.71	630	Residence	South	15	55	2
Harford/M D	42.91	636	Residence	North	25	85	2
Harford/M D	42.93	636	Residence	North	12	48	2
Harford/M D	43.45	649	Residence	Southeast	5	30	2
Cecil/MD	45.91	669	Residence	Northwest	45	70	1
Cecil/MD	46.26	672	Residence	North	25	95	1
Cecil/MD	46.42	676	Residence	Northwest	16	56	2
Lancaster/PA	53.09	756.1	Residence	Northwest	10	35	2

TABLE F-1

EXISTING RESIDENCES AND BUILDINGS WITHIN 50 FEET OF THE CONSTRUCTION WORKSPACE

County/State	Mile Post	<u>Tract Number</u>	Residence / Structure	Direction from Pipeline Centerline	Distance from Construction Workspace (feet)	Distance from Proposed Pipeline Centerline (feet)	Proposed Mitigation *
Lancaster/PA	53.12	<u>758.1</u>	Residence	Northwest	<u>25</u>	75	2
Lancaster/PA	53.12	<u>759</u>	Residence	Southeast	30	55	1
Chester/PA	56.35	<u>798</u>	Commercial	Northwest	Inside	50	<u>2</u>
Chester/PA	58.75	<u>817.2</u>	Commercial	North	23	48	1
Chester/PA	64.12	<u>862</u>	Residence	South	<u>25</u>	<u>65</u>	2
Chester/PA	64.94	<u>871</u>	Residence	North	25	50	<u>2</u>
Chester/PA	66.48	<u>881</u>	Residence	West	<u>25</u>	60	2
Chester/PA	66.55	<u>883</u>	Residence	Northwest	30	105	1
Chester/PA	70.39	<u>909</u>	Commercial	Northwest	20	45	1
Chester/PA	70.65	<u>912</u>	Residence	South	45	170	1
Chester/PA	72.86	<u>925.1</u>	Commercial	North	26	51	1
Chester/PA	75.33	<u>950</u>	Residence	West	31	56	1
Chester/PA	75.4	<u>968.1</u>	Residence	North	30	55	1
Chester/PA	75.47	<u>969.1</u>	Residence	Northwest	50	75	1
Chester/PA	76.13	<u>981</u>	Agriculture	Northwest	Inside	25	TBD
Chester/PA	76.21	<u>981.2</u>	Residence	Northwest	<u>16</u>	<u>66</u>	2
<u>Chester/PA</u>	<u>77.05</u>	<u>993</u>	<u>Residence</u>	<u>East</u>	<u>15</u>	<u>40</u>	<u>2</u>
Chester/PA	77.16	<u>990.1</u>	Residence	West	<u>3</u>	<u>15</u>	2
Chester/PA	77.17	<u>1001.1</u>	Residence	East	<u>15</u>	<u>50</u>	2
Chester/PA	77.19	<u>1003.2</u>	Residence	West	<u>3</u>	<u>16</u>	2
Chester/PA	77.20	<u>1004.1</u>	Residence	East	<u>15</u>	<u>45</u>	2
Chester/PA	77.53	<u>1012.1</u>	Residence	East	<u>34</u>	<u>97</u>	1
Chester/PA	77.54	<u>1013.1</u>	Residence	East	<u>20</u>	<u>40</u>	2

TABLE F-1

EXISTING RESIDENCES AND BUILDINGS WITHIN 50 FEET OF THE CONSTRUCTION WORKSPACE

County/State	Mile Post	Tract Number	Residence / Structure	Direction from Pipeline Centerline	Distance from Construction Workspace (feet)	Distance from Proposed Pipeline Centerline (feet)	Proposed Mitigation *
Chester/PA	77.55	1014.1	Residence	East	25	50	2
Chester/PA	77.56	1015.1	Residence	East	25	50	2
Chester/PA	77.58	1017.1	Residence	East	30	108	1
Chester/PA	77.60	1018.1	Residence	East	30	40	1
Chester/PA	77.61	1019.1	Residence	East	30	37	2
Chester/PA	77.62	1020.1	Residence	East	15	50	2
Chester/PA	77.63	1021.1	Residence	East	40	110	2
Chester/PA	77.67	9023.1	Residence	East	35	125	1
Chester/PA	77.67	1023.1	Residence	East	30	65	1
Chester/PA	77.68	1024.1	Residence	East	12	55	2
Chester/PA	77.69	1025.1	Residence	East	25	88	2
Chester/PA	77.70	1026.1	Residence	East	35	115	1
Chester/PA	77.71	1027.1	Residence	West	25	60	2
Chester/PA	77.72	1029.1	Residence	West	25	100	2
Chester/PA	77.76	1031.1	Residence	East	40	65	1
Chester/PA	77.82	1034.1	Residence	East	40	65	1
Chester/PA	78.08	1049	Residence	East	10	27	2
Chester/PA	78.47	1058	Residence	East	45	70	1
Chester/PA	78.49	1059	Residence	West	25	55	2
Chester/PA	78.83	1071.1	Residence	West	20	42	2
Chester/PA	78.84	1072.1	Residence	East	10	33	2
Chester/PA	78.89	1076.1	Residence	East	25	50	2
Chester/PA	78.89	1075.1	Residence	West	48	73	1
Chester/PA	79.00	1076	Commercial	East	Inside	15	1

TABLE F-1

EXISTING RESIDENCES AND BUILDINGS WITHIN 50 FEET OF THE CONSTRUCTION WORKSPACE

County/State	Mile Post	Tract Number	Residence / Structure	Direction from Pipeline Centerline	Distance from Construction Workspace (feet)	Distance from Proposed Pipeline Centerline (feet)	Proposed Mitigation *
Chester/PA	79.11	1078.1	Commercial	West	20	45	1
Chester/PA	79.12	1079.1	Commercial	East	Adjacent	50	<u>2</u>
Chester/PA	79.16	1080.1	Commercial	East	Adjacent	25	<u>2</u>
Chester/PA	79.80	1109	Daycare	East	<u>35</u>	<u>60</u>	<u>2</u>
Chester/PA	80.33	1133.2	Residence	East	42	67	1
Chester/PA	80.50	1135	Residence	West	<u>10</u>	<u>18</u>	2
Chester/PA	80.56	1136	Residence	East	30	55	1
Chester/PA	80.60	1140	Residence	West	33	83	1
Chester/PA	81.06	1150	Residence	South	45	95	1
Chester/PA	81.15	1153	Commercial	East	28	53	1
Chester/PA	81.17	1154	Residence	West	<u>10</u>	<u>35</u>	2
Chester/PA	81.21	1157	Residence	West	<u>15</u>	<u>65</u>	2
Chester/PA	81.28	1159	Residence	West	<u>12</u>	<u>35</u>	<u>2</u>
Chester/PA	81.33	1162	Residence	East	45	70	1
Chester/PA	81.38	1164	Residence	West	<u>15</u>	<u>25</u>	2
Chester/PA	81.60	1171	Residence	West	<u>25</u>	<u>70</u>	<u>2</u>
Chester/PA	81.63	1172	Residence	West	30	55	1
Chester/PA	83.03	1200	Residence	East	<u>19</u>	<u>40</u>	2
Chester/PA	83.08	1204	Residence	East	<u>12</u>	<u>35</u>	2
Chester/PA	83.10	1205	Residence	West	35	60	1
Chester/PA	83.16	1206	Residence	West	30	70	1
Chester/PA	83.18	1210	Residence	West	<u>25</u>	<u>65</u>	2
Chester/PA	83.22	1211	Residence	West	30	70	1
Chester/PA	83.24	1213	Residence	West	<u>25</u>	<u>65</u>	2

TABLE F-1

EXISTING RESIDENCES AND BUILDINGS WITHIN 50 FEET OF THE CONSTRUCTION WORKSPACE

County/State	Mile Post	Tract Number	Residence / Structure	Direction from Pipeline Centerline	Distance from Construction Workspace (feet)	Distance from Proposed Pipeline Centerline (feet)	Proposed Mitigation *
Chester/PA	83.26	1215	Residence	East	45	70	1
Chester/PA	83.34	1219	Residence	West	35	75	1
Chester/PA	83.39	1220	Residence	East	15	50	2
Chester/PA	83.41	1220.1	Residence	West	25	55	2
Chester/PA	83.45	1222	Residence	West	13	42	2
Chester/PA	83.54	1225	Residence	East	35	110	1
Chester/PA	83.55	1225.1	Residence	West	50	90	1
Chester/PA	84.30	1239	Residence	East	16	42	2
Chester/PA	84.31	1241	Residence	West	35	60	1
Chester/PA	84.35	1242	Residence	West	40	65	1
Chester/PA	84.36	1243	Residence	East	25	75	2
Chester/PA	84.45	1244	Residence	East	25	70	2
Chester/PA	84.46	1245	Residence	West	42	92	1
Chester/PA	84.61	1251	Residence	East	30	105	1
Chester/PA	85.29	1263	Residence, recently zoned commercial	West	25	90	2
Chester/PA	85.35	1267.2	Residence	West	30	70	1
Chester/PA	85.47	1260.1	Windsor Baptist Church	West	5	43	1
Chester/PA	85.49	1258.1	Commercial	Northwest	12	37	2
Chester/PA	85.52	1259.1	School	Northwest	Adjacent	25	2
Chester/PA	85.58	1260.1	Commercial	East	15	40	1
Chester/PA	85.59	1260.1	Residence	East	40	65	2
Chester/PA	85.78	1261.5	Residence	Northwest	40	65	1
Chester/PA	86.54	1293	Commercial	East	15	95	1

TABLE F-1

EXISTING RESIDENCES AND BUILDINGS WITHIN 50 FEET OF THE CONSTRUCTION WORKSPACE

County/State	Mile Post	Tract Number	Residence / Structure	Direction from Pipeline Centerline	Distance from Construction Workspace (feet)	Distance from Proposed Pipeline Centerline (feet)	Proposed Mitigation *
--------------	-----------	------------------------------	-----------------------	------------------------------------	---	---	-----------------------

Proposed Mitigation:

1/ A combination of one or more items below (A-E) based on consultation with landowners and subject to final pipeline design.
 A/ Avoid removal of mature trees and landscaping within the edge of the construction workspace unless necessary for the safe operation of construction equipment.
 B/ Restore all lawn areas and landscaping within the construction workspace, consistent with the Commission's Recommended Plan, immediately after backfilling the trench.
 C/ Reduce the construction workspace such that a minimum of 10 feet between the resident/building and the construction workspace is maintained for a distance of 100 feet on either side of each structure.
 D/ Install safety fencing along the construction workspace adjacent to each structure for a distance of 100 feet on either side of the residence/building, to ensure that construction equipment and materials, including the spoil pile, remain within the construction workspace.
 E/ Maintain safety fencing throughout open trench phases of pipe installation.
 2/ See site-specific plan.
 TBD = Route under further review. Areas not surveyed or subject to planning with property owner.
 Adjacent = This indicates that the structure is located adjacent to the construction workspace.
 Inside = This indicates that a portion on the structure falls within the workspace. This includes areas not yet surveyed, areas where construction is already restricted and/or structures which are not residences and may not be avoidable. e.g. Sheds may be relocated.
 3/ Routed around.